



INSPECTORATE

TEST REPORT

AMBIENT AIR MONITORING

TEST REPORT NO.: IGI/BBSR/BMO/14-15/0139

DATE: 28.10.2014

*NAME AND ADDRESS OF CUSTOMER: JINDAL CHROMITE MINES, M/S JINDAL STAINLESS LTD., AT/PO - KALIAPANI, TAHASIL - SUKINDA, DIST. - JAJPUR, ODISHA.

*CUSTOMER REFERENCE: WORK ORDER NO.: JCM/WO/015/12-13/2013

DATE: 28.09.2013

SAMPLE PARTICULARS: AMBIENT AIR SAMPLE

*SAMPLING LOCATION: ENTRY TO MINES (TOE OF OB DUMPS)

SAMPLE NO.	DATE OF MONITORING	TIME OF SAMPLING	TEST PARAMETERS											
			PM10 µg/m ³	PM2.5 µg/m ³	SO2 µg/m ³	NO2 µg/m ³	CO mg/m ³	O3 µg/m ³	Pb µg/m ³	NH3 µg/m ³	C6H6 µg/m ³	BaP ng/m ³	As ng/m ³	Ni ng/m ³
1	03.09.14 - 04.09.14	24 HOUR	48.8	26.2	6.4	10.8	NT	14.2	0.0084	12.3	BDL	BDL	ND	0.212
2	08.09.14 - 09.09.14	24 HOUR	52.4	25.8	7.2	11.4	NT	12.2	0.0053	10.0	BDL	BDL	ND	0.136
3	11.09.14 - 12.09.14	24 HOUR	50.2	27.4	6.4	10.8	NT	11.0	0.0042	9.6	BDL	BDL	ND	0.127
4	15.09.14 - 16.09.14	24 HOUR	44.8	21.4	4.8	9.2	NT	7.0	0.0019	8.2	BDL	BDL	ND	0.150
5	18.09.14 - 19.09.14	24 HOUR	53.2	24.4	4.8	10.6	NT	8.2	0.0026	8.4	BDL	BDL	ND	0.172
6	24.09.14 - 25.09.14	24 HOUR	40.8	20.4	5.2	9.8	NT	8.4	0.0019	10.2	BDL	BDL	ND	0.128
CPCB Standard		ANNUAL	60	40	50	40	-	-	0.50	100	05	01	06	20
		24 HOUR	100	60	80	80	-	-	1.0	400	-	-	-	-
		8 HOUR	-	-	-	-	02	100	-	-	-	-	-	-
		1 HOUR	-	-	-	-	04	180	-	-	-	-	-	-

NOTE: ND: NOT DETECTABLE ; NT: NOT TRACEABLE

*Indicates information supplied by the customer for which the laboratory has no control

VERIFIED BY



INSPECTORATE

INSPECTORATE

841 (P) Rasulgarh
Bhubaneswar-751010
Odisha

Tel : 0674-2548715/2548716

www.inspectorate.co.in

AUTHORISED SIGNATORY

TEST RESULTS RELATE TO THE SAMPLE TESTED ONLY

THE CONTENTS OF THE REPORT SHALL NOT BE REPRODUCED EITHER IN FULL OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE ISSUING AUTHORITY

LABORATORY: PLOT NO. 211, GROUND FLOOR, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE, BHUBANESWAR - 751010.

**INSPECTORATE****TEST REPORT****AMBIENT AIR MONITORING**

TEST REPORT NO.: IGI/BBSR/BMO/14-15/0140

DATE: 28.10.2014

*NAME AND ADDRESS OF CUSTOMER: JINDAL CHROMITE MINES, M/S JINDAL STAINLESS LTD., AT/PO - KALIAPANI, TAHASIL - SUKINDA, DIST. - JAIPUR, ODISHA.

*CUSTOMER REFERENCE: WORK ORDER NO.: JCM/WO/015/12-13/2013

DATE: 28.09.2013

SAMPLE PARTICULARS: AMBIENT AIR SAMPLE

*SAMPLING LOCATION: MAHAGIRI

SAMPLE NO.	DATE OF MONITORING	TIME OF SAMPLING	TEST PARAMETERS											
			PM10 µg/m ³	PM2.5 µg/m ³	SO2 µg/m ³	NO2 µg/m ³	CO mg/m ³	O3 µg/m ³	Pb µg/m ³	NH3 µg/m ³	C6H6 µg/m ³	BaP ng/m ³	As ng/m ³	Ni ng/m ³
1	05.09.14 - 06.09.14	24 HOUR	50.4	27.2	5.8	10.2	NT	12.2	0.0082	10.6	BDL	BDL	ND	0.182
2	09.09.14 - 10.09.14	24 HOUR	48.8	21.6	6.2	11.4	NT	13.6	0.0074	12.2	BDL	BDL	ND	0.176
3	12.09.14 - 13.09.14	24 HOUR	47.6	22.3	6.7	10.2	NT	12.2	0.0076	12.4	BDL	BDL	ND	0.224
4	16.09.14 - 17.09.14	24 HOUR	42.6	27.8	7.2	8.4	NT	13.6	0.0052	14.0	BDL	BDL	ND	0.186
5	19.09.14 - 20.09.14	24 HOUR	29.6	16.4	5.4	10.0	NT	9.2	0.0023	11.2	BDL	BDL	ND	0.162
6	26.09.14 - 27.09.14	24 HOUR	44.8	22.6	5.8	9.8	NT	8.6	0.0023	9.4	BDL	BDL	ND	0.138
CPCB Standard		ANNUAL	60	40	50	40	-	-	0.50	100	05	01	06	20
		24 HOUR	100	60	80	80	-	-	1.0	400	-	-	-	-
		8 HOUR	-	-	-	-	02	100	-	-	-	-	-	-
		1 HOUR	-	-	-	-	04	180	-	-	-	-	-	-

NOTE: ND: NOT DETECTABLE; NT: NOT TRACEABLE

*Indicates information supplied by the customer for which the laboratory has no control

VERIFIED BY



INSPECTORATE

INSPECTORATE
841 (P) Rasulgarh
Bhubaneswar-751010
Odisha
Tel : 0674-2548715/2548716
www.inspectorate.co.in

AUTHORISED SIGNATORY

TEST RESULTS RELATE TO THE SAMPLE TESTED ONLY

THE CONTENTS OF THE REPORT SHALL NOT BE REPRODUCED EITHER IN FULL OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE ISSUING AUTHORITY

LABORATORY: PLOT NO. 211, GROUND FLOOR, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE, BHUBANESWAR - 751010.



INSPECTORATE

TEST REPORT

AMBIENT AIR MONITORING

TEST REPORT NO.: IGI/BBSR/BMO/14-15/0141

DATE: 28.10.2014

*NAME AND ADDRESS OF CUSTOMER: JINDAL CHROMITE MINES, M/S JINDAL STAINLESS LTD., AT/PO - KALIAPANI, TAHASIL - SUKINDA, DIST. - JAIPUR, ODISHA.

*CUSTOMER REFERENCE: WORK ORDER NO.: JCM/WO/015/12-13/2013

DATE: 28.09.2013

SAMPLE PARTICULARS: AMBIENT AIR SAMPLE

*SAMPLING LOCATION: MARUABIL

SAMPLE NO.	DATE OF MONITORING	TIME OF SAMPLING	TEST PARAMETERS											
			PM10 µg/m ³	PM2.5 µg/m ³	SO2 µg/m ³	NO2 µg/m ³	CO mg/m ³	O3 µg/m ³	Pb µg/m ³	NH3 µg/m ³	C6H6 µg/m ³	BaP ng/m ³	As ng/m ³	Ni ng/m ³
1	03.09.14 - 04.09.14	24 HOUR	28.6	12.2	4.8	9.6	NT	8.4	0.0027	8.2	BDL	BDL	ND	0.172
2	08.09.14 - 09.09.14	24 HOUR	32.4	15.2	5.7	10.4	NT	9.2	0.0019	9.0	BDL	BDL	ND	0.186
3	11.09.14 - 12.09.14	24 HOUR	34.7	21.2	5.6	10.2	NT	8.6	0.0032	7.6	BDL	BDL	ND	0.138
4	15.09.14 - 16.09.14	24 HOUR	32.6	18.7	5.2	10.0	NT	9.2	0.0019	ND	BDL	BDL	ND	0.142
5	18.09.14 - 19.09.14	24 HOUR	38.4	18.2	5.8	10.4	NT	10.8	0.0036	12.6	BDL	BDL	ND	0.164
6	24.09.14 - 25.09.14	24 HOUR	27.2	17.4	4.8	10.2	NT	9.6	0.0022	9.2	BDL	BDL	ND	0.142
CPCB Standard		ANNUAL	60	40	50	40	-	-	0.50	100	05	01	06	20
		24 HOUR	100	60	80	80	-	-	1.0	400	-	-	-	-
		8 HOUR	-	-	-	-	02	100	-	-	-	-	-	-
		1 HOUR	-	-	-	-	04	180	-	-	-	-	-	-

NOTE: ND: NOT DETECTABLE; NT: NOT TRACEABLE

*Indicates information supplied by the customer for which the laboratory has no control

Goutam Sahg

VERIFIED BY



INSPECTORATE
841 (P) Rasulgarh
Bhubaneswar-751010
Odisha
Tel : 0674-2548715/2548716
www.inspectorate.co.in

[Signature]

AUTHORISED SIGNATORY

TEST RESULTS RELATE TO THE SAMPLE TESTED ONLY

THE CONTENTS OF THE REPORT SHALL NOT BE REPRODUCED EITHER IN FULL OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE ISSUING AUTHORITY

LABORATORY: PLOT NO. 211, GROUND FLOOR, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE, BHUBANESWAR - 751010.

**INSPECTORATE****TEST REPORT****AMBIENT AIR MONITORING**

TEST REPORT NO.: IGI/BBSR/BMO/14-15/0142

DATE: 28.10.2014

*NAME AND ADDRESS OF CUSTOMER: JINDAL CHROMITE MINES, M/S JINDAL STAINLESS LTD., AT/PO - KALIAPANI, TAHASIL - SUKINDA, DIST. - JAJPUR, ODISHA.

*CUSTOMER REFERENCE: WORK ORDER NO.: JCM/WO/015/12-13/2013

DATE: 28.09.2013

SAMPLE PARTICULARS: AMBIENT AIR SAMPLE

*SAMPLING LOCATION: SARUABIL

SAMPLING LOCATION: SARADIA			TEST PARAMETERS											
SAMPLE NO.	DATE OF MONITORING	TIME OF SAMPLING	PM10	PM2.5	SO2	NO2	CO	O3	Pb	NH3	C6H6	BaP	As	Ni
			µg/m³	µg/m³	µg/m³	µg/m³	mg/m³	µg/m³	µg/m³	µg/m³	µg/m³	ng/m³	ng/m³	ng/m³
1	05.09.14 – 06.09.14	24 HOUR	38.2	20.6	4.8	10.6	NT	12.2	0.0036	10.2	BDL	BDL	ND	0.176
2	09.09.14 – 10.09.14	24 HOUR	42.6	18.7	5.2	10.2	NT	11.8	0.0042	12.0	BDL	BDL	ND	0.154
3	12.09.14 – 13.09.14	24 HOUR	44.6	24.8	6.7	10.6	NT	ND	ND	ND	BDL	BDL	ND	0.118
4	16.09.14 – 17.09.14	24 HOUR	50.2	21.2	6.2	9.4	NT	9.2	0.0017	ND	BDL	BDL	ND	0.126
5	19.09.14 – 20.09.14	24 HOUR	40.8	18.6	5.8	10.2	NT	8.6	0.0018	10.0	BDL	BDL	ND	0.152
6	26.09.14 – 27.09.14	24 HOUR	42.4	17.6	5.0	9.8	NT	8.4	0.0024	12.0	BDL	BDL	ND	0.132
CPCB Standard		ANNUAL	60	40	50	40	-	-	0.50	100	05	01	ND	ND
		24 HOUR	100	60	80	80	-	-	1.0	400	-	-	ND	ND
		8 HOUR	-	-	-	-	02	100	-	-	-	-	ND	ND
		1 HOUR	-	-	-	-	04	180	-	-	-	-	ND	ND

NOTE: ND: NOT DETECTABLE; NT: NOT TRACEABLE

*Indicates information supplied by the customer for which the laboratory has no control

VERIFIED BY



INSPECTORATE

INSPECTORATE

841 (P) Rasulgarh
Bhubaneswar-751010

Odisha

Tel : 0674-2548715/2548716

www.inspectorate.co.in

AUTHORISED SIGNATORY

TEST RESULTS RELATE TO THE SAMPLE TESTED ONLY

THE CONTENTS OF THE REPORT SHALL NOT BE REPRODUCED EITHER IN FULL OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE ISSUING AUTHORITY

LABORATORY: PLOT NO. 211, GROUND FLOOR, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE, BHUBANESWAR - 751010.



INSPECTORATE

TEST REPORT

DUST FALL MONITORING

TEST REPORT NO.: IGI/BBSR/BMO/14-15/0143

DATE: 28.10.2014

*NAME AND ADDRESS OF CUSTOMER: JINDAL CHROMITE MINES, M/S JINDAL STAINLESS LTD., AT/PO - KALIAPANI, TAHASIL - SUKINDA, DIST. - JAJPUR, ODISHA.

*CUSTOMER REFERENCE: WORK ORDER NO.: JCM/WO/015/12-13/2013

DATE: 28.09.2013

SAMPLE PARTICULARS: DUST FALL SAMPLE

S. NO.	TEST PARAMETERS	UNIT	*LOCATION		
			MINES ENTRY POINT	MARUABIL	MAHAGIRI
1	NICKEL	$\mu\text{g}/\text{m}^3$	ND	ND	ND
2	COBALT	$\mu\text{g}/\text{m}^3$	ND	ND	ND
3	ARSENIC	$\mu\text{g}/\text{m}^3$	ND	ND	ND
4	MERCURY	$\mu\text{g}/\text{m}^3$	ND	ND	ND

NOTE: ND - NOT DETECTABLE

*Indicates information supplied by the customer for which the laboratory has no control

VERIFIED BY



INSPECTORATE

INSPECTORATE

841 (P) Rasulgarh,

Bhubaneswar-751010

Odisha

Tel : 0674-2548715/2548716

www.inspectorate.co.in

AUTHORISED SIGNATORY

TEST RESULTS RELATE TO THE SAMPLE TESTED ONLY

THE CONTENTS OF THE REPORT SHALL NOT BE REPRODUCED EITHER IN FULL OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE ISSUING AUTHORITY

LABORATORY: PLOT NO. 211, GROUND FLOOR, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE, BHUBANESWAR - 751010.



INSPECTORATE

TEST REPORT

FUGITIVE EMISSION MONITORING

TEST REPORT NO.: IGI/BBSR/BMO/14-15/0144

DATE: 28.10.2014

*NAME AND ADDRESS OF CUSTOMER: JINDAL CHROMITE MINES, M/S JINDAL STAINLESS LTD., AT/PO - KALIAPANI,
TAHASIL - SUKINDA, DIST. - JAIPUR, ODISHA.

*CUSTOMER REFERENCE: WORK ORDER NO.: JCM/WO/015/12-13/2013

DATE: 28.09.2013

SAMPLE PARTICULARS: FUGITIVE AIR SAMPLE

S. NO.	DATE OF MONITORING	*SAMPLING LOCATION	TEST PARAMETERS				
			SPM	RPM	SO ₂	NO ₂	CO
			µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ³
1	22.09.2014	OB Dump Unloading Point	120.6	84.8	9.2	12.6	NT
2	29.09.2014	Mines Entry Point	132.8	92.4	9.6	13.4	NT
3	30.09.2014	Stack Yard Loading and Unloading Point	156.4	96.2	10.0	13.8	NT

NOTE: ND - NOT DETECTABLE, NT - NOT TRACEABLE

*Indicates information supplied by the customer for which the laboratory has no control

VERIFIED BY



INSPECTORATE
841 (P) Rasulgari
Bhubaneswar-751010
Odisha
Tel : 0674-2548715/2548716
www.inspectorate.co.in

AUTHORISED SIGNATORY

TEST RESULTS RELATE TO THE SAMPLE TESTED ONLY

THE CONTENTS OF THE REPORT SHALL NOT BE REPRODUCED EITHER IN FULL OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE ISSUING AUTHORITY

LABORATORY: PLOT NO. 211, GROUND FLOOR, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE, BHUBANESWAR - 751010.



INSPECTORATE

TEST REPORT

GROUND WATER LEVEL MONITORING

TEST REPORT NO.: IGI/BBSR/BMO/14-15/0145

DATE: 29.10.2014

*NAME AND ADDRESS OF CUSTOMER: JINDAL CHROMITE MINES, M/S JINDAL STAINLESS LTD., AT/PO - KALIAPANI, TAHASIL - SUKINDA, DIST. - JAJPUR, ODISHA.

*CUSTOMER REFERENCE: WORK ORDER NO.: JCM/WO/015/12-13/2013

DATE: 28.09.2013


SAMPLE PARTICULARS: GROUND WATER LEVEL

*SAMPLING LOCATION: TUBE WELL INSIDE THE MINING LEASE

ANALYSIS COMPLETION DATE: 22.09.2014

S. NO.	DEPTH FROM SURFACE LEVEL
	m
1	4.7

*Indicates information supplied by the customer for which the laboratory has no control




VERIFIED BY



INSPECTORATE

INSPECTORATE
841 (P) Rasulgarh
Bhubaneswar-751010
Odisha
Tel : 0674-2548715/2548716
www.inspectorate.co.in



AUTHORISED SIGNATORY

TEST RESULTS RELATE TO THE SAMPLE TESTED ONLY

THE CONTENTS OF THE REPORT SHALL NOT BE REPRODUCED EITHER IN FULL OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE ISSUING AUTHORITY

LABORATORY: PLOT NO. 211, GROUND FLOOR, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE, BHUBANESWAR - 751010.

**INSPECTORATE****TEST REPORT****GROUND WATER TESTING**

TEST REPORT NO.: IGI/BBSR/BMO/14-15/0146

DATE: 28.10.2014

*NAME AND ADDRESS OF CUSTOMER: JINDAL CHROMITE MINES, M/S JINDAL STAINLESS LTD., AT/PO - KALIAPANI, TAHASIL - SUKINDA, DIST. - JAJPUR, ODISHA.

*CUSTOMER REFERENCE: WORK ORDER NO.: JCM/WO/015/12-13/2013

DATE: 28.09.2013

*SAMPLING LOCATION: TUBE WELL INSIDE THE MINING LEASE

SAMPLE COLLECTION DATE: 11.09.2014

SL. NO.	PARAMETERS	UNIT	ANALYSIS RESULT
1	COLOUR	Hazen	2.0
2	ODOUR		Agreeable
3	TASTE		Agreeable
4	TURBIDITY	NTU	0.17
5	DISSOLVED SOLIDS	mg/l	224.4
6	pH		7.19
7	TOTAL HARDNESS (as CaCO ₃)	mg/l	180.54
8	COPPER	mg/l	0.0146
9	IRON	mg/l	0.0128
10	MANGANESE	mg/l	<0.01
11	NITRATE	mg/l	0.086
12	FLUORIDE	mg/l	0.024
13	ZINC	mg/l	0.0245
14	ALUMINIUM	mg/l	0.0078
15	CHLORIDE	mg/l	11.74
16	SELENIUM	mg/l	<0.01
17	SULPHATE	mg/l	0.562
18	ALKALINITY (as CaCO ₃)	mg/l	167.31
19	CALCIUM	mg/l	17.52
20	MAGNESIUM	mg/l	32.8
21	RESIDUAL FREE CHLORINE	mg/l	ND
22	BORON	mg/l	0.0276
23	MOLIBDENUM	mg/l	<0.01
24	SULPHIDE (as H ₂ S)	mg/l	1.29
25	MERCURY	mg/l	<0.01
26	CADMIUM	mg/l	<0.01
27	ARSENIC	mg/l	<0.01
28	LEAD	mg/l	0.006
29	HEXAVALENT CHROMIUM	mg/l	0.0082
30	NICKEL	mg/l	<0.01
31	BARIUM	mg/l	<0.01
32	E. COLI	MPN/100ml	ND

NOTE: ND - NOT DETECTABLE

*Indicates information supplied by the customer for which the laboratory has no control

VERIFIED BY



INSPECTORATE

TEST RESULTS RELATE TO THE SAMPLE TESTED ONLY

INSPECTORATE
841 (P) Rasulgarh,
Bhubaneswar-751010
Odisha
Tel : 0674-2548715/2548716
www.inspectorate.co.in

AUTHORISED SIGNATORY

THE CONTENTS OF THE REPORT SHALL NOT BE REPRODUCED EITHER IN FULL OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE ISSUING AUTHORITY

LABORATORY: PLOT NO. 211, GROUND FLOOR, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE, BHUBANESWAR - 751010.



INSPECTORATE

TEST REPORT

SURFACE WATER TESTING

TEST REPORT NO.: IGI/BBSR/BMO/14-15/0147

DATE: 28.10.2014

*NAME AND ADDRESS OF CUSTOMER: JINDAL CHROMITE MINES, M/S JINDAL STAINLESS LTD., AT/PO - KALIAPANI, TAHASIL - SUKINDA, DIST. - JAJPUR, ODISHA.

*CUSTOMER REFERENCE: WORK ORDER NO.: JCM/WO/015/12-13/2013

DATE: 28.09.2013

SAMPLE PARTICULARS: WATER

SAMPLE COLLECTION DATE: 11.09.2014

SL. NO.	PARAMETERS	UNIT	ANALYSIS RESULT	
			*SUMP ON QUERRY TOP	*MINES DRAIN WATER OUTSIDE LEASE AREA
1	COLOUR	Hazen	5.0	6.8
2	ODOUR		Agreeable	Agreeable
3	pH		7.26	6.67
4	COPPER	mg/l	0.029	0.0192
5	IRON	mg/l	0.2856	0.698
6	MANGANESE	mg/l	0.068	0.6158
7	NITRATE	mg/l	0.124	0.142
8	FLUORIDE	mg/l	0.14	0.32
9	ZINC	mg/l	0.098	0.0369
10	SELENIUM	mg/l	<0.01	<0.01
11	MERCURY	mg/l	<0.01	<0.01
12	ARSENIC	mg/l	<0.01	<0.01
13	LEAD	mg/l	0.02	0.002
14	HEXAVALENT CHROMIUM	mg/l	0.102	0.128
15	NICKEL	mg/l	0.2446	0.428
16	SUSPENDED SOLIDS	mg/l	3.96	56.45
17	OIL & GREASE	mg/l	6.2	4.7
18	TOTAL RESIDUAL CHLORINE	mg/l	ND	ND
19	BOD	mg/l	2.36	ND
20	COD	mg/l	12.4	1.6
21	CADMIUM	mg/l	<0.01	<0.01
22	TOTAL CHROMIUM	mg/l	0.155	0.189
23	DISSOLVED PHOSPHATE	mg/l	2.72	4.92
24	SULPHIDE	mg/l	1.77	3.21
25	VANADIUM	mg/l	<0.01	<0.01
26	AMMONIACAL NITROGEN (as NH ₃)	mg/l	1.23	1.9
27	TEMPERATURE	°C	29.2	28.4
28	PARTICULAR SIZE OF SS	%	100	99.82

NOTE: ND - NOT DETECTABLE

*Indicates information supplied by the customer for which the laboratory has no control.

VERIFIED BY



INSPECTORATE

INSPECTORATE

841 (P) Rasulgarh

Bhubaneswar-751010

Odisha

Tel : 0674-2548715/2548716

www.inspectorate.co.in

AUTHORISED SIGNATORY

TEST RESULTS RELATE TO THE SAMPLE TESTED ONLY

THE CONTENTS OF THE REPORT SHALL NOT BE REPRODUCED EITHER IN FULL OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE ISSUING AUTHORITY

LABORATORY: PLOT NO. 211, GROUND FLOOR, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE, BHUBANESWAR - 751010.



INSPECTORATE

TEST REPORT

SURFACE WATER TESTING

TEST REPORT NO.: IGI/BBSR/BMO/14-15/0148

DATE: 28.10.2014

*NAME AND ADDRESS OF CUSTOMER: JINDAL CHROMITE MINES, M/S JINDAL STAINLESS LTD., AT/PO - KALIAPANI, TAHASIL - SUKINDA, DIST. - JAJPUR, ODISHA.

*CUSTOMER REFERENCE: WORK ORDER NO.: JCM/WO/015/12-13/2013

DATE: 28.09.2013

SAMPLE PARTICULARS: SURFACE RUN-OFF WATER

ANALYSIS COMPLETION DATE: 19.07.2014

SL. NO.	PARAMETERS	UNIT	ANALYSIS RESULT
1	HEXAVALENT CHROMIUM	mg/l	0.114

NOTE: ND - NOT DETECTABLE

*Indicates information supplied by the customer for which the laboratory has no control

VERIFIED BY



INSPECTORATE

INSPECTORATE

841 (P) Rasulgarh
Bhubaneswar-751010
Odisha

Tel : 0674-2548715/2548716
www.inspectorate.co.in

AUTHORISED SIGNATORY

TEST RESULTS RELATE TO THE SAMPLE TESTED ONLY

THE CONTENTS OF THE REPORT SHALL NOT BE REPRODUCED EITHER IN FULL OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE ISSUING AUTHORITY

LABORATORY: PLOT NO. 211, GROUND FLOOR, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE, BHUBANESWAR - 751010.



INSPECTORATE

TEST REPORT

SOIL TESTING

TEST REPORT NO.: IGI/BBSR/BMO/14-15/0149

DATE: 28.10.2014

*NAME AND ADDRESS OF CUSTOMER: JINDAL CHROMITE MINES, M/S JINDAL STAINLESS LTD., AT/PO - KALIAPANI,
TAHASIL - SUKINDA, DIST. - JAJPUR, ODISHA.

*CUSTOMER REFERENCE: WORK ORDER NO.: JCM/WO/015/12-13/2013

DATE: 28.09.2013

SAMPLE PARTICULARS: SOIL

SAMPLE COLLECTION DATE: 11.09.2014

SL. NO.	PARAMETERS	UNIT	ANALYSIS RESULT
			*NEAR THE QUERRY AREA
1	pH		7.84
2	CATION EXCHANGE CAPACITY	meq	46.4
3	PHOSPHORUS	mg/kg	21.0
4	NITROGEN	mg/kg	312.0
5	WATER HOLDING CAPACITY	%	44.6
6	BULK DENSITY	gm/cm3	1.18
7	TEXTURE		Loamy Sand
8	MOISTURE	%	18.4
9	MANGANESE	mg/kg	194.2
10	CHROMIUM	mg/kg	1820.2
11	IRON	mg/kg	710.6
12	NICKEL	mg/kg	124.4
13	COBALT	mg/kg	ND
14	ARSENIC	mg/kg	ND
15	MERCURY	mg/kg	ND

NOTE: ND - NOT DETECTABLE

*Test results are based on information supplied by the customer for which the laboratory has no control

Goutam Sahg

VERIFIED BY



INSPECTORATE
841 (P) Rasulgarh
Bhubaneswar-751010
Odisha
Tel : 0674-2548715/2548716
www.inspectorate.co.in

[Signature]

AUTHORISED SIGNATORY

TEST RESULTS RELATE TO THE SAMPLE TESTED ONLY

THE CONTENTS OF THE REPORT SHALL NOT BE REPRODUCED EITHER IN FULL OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE ISSUING AUTHORITY

LABORATORY: PLOT NO. 211, GROUND FLOOR, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE, BHUBANESWAR - 751010



INSPECTORATE

TEST REPORT

NOISE LEVEL MONITORING

TEST REPORT NO.: IGI/BBSR/BMO/14-15/0150

DATE: 28.10.2014

*NAME AND ADDRESS OF CUSTOMER: JINDAL CHROMITE MINES, M/S JINDAL STAINLESS LTD., AT/PO - KALIAPANI, TAHASIL - SUKINDA, DIST. - JAJPUR, ODISHA.

*CUSTOMER REFERENCE: WORK ORDER NO.: JCM/WO/015/12-13/2013

DATE: 28.09.2013


SAMPLE PARTICULARS: NOISE LEVEL

MONITORING DATE: 25.09.2014 to 27.09.2014

*MONITORING STATION	RESULT	
	DAY (6 AM TO 9 PM)	NIGHT (9 PM TO 6 AM)
KALIAPANI VILLAGE	62.3	40.0
CHINGUDIPAL VILLAGE	62.0	41.7
BETWEEN QUARRY AND BASE OF MAHAGIRI	61.5	42.0
NEAR PLANT AND WORKSHOP	63.9	41.5
NEAR SECURITY GATE	62.2	35.2

NOTE: ND - NOT DETECTABLE

*Indicates information supplied by the customer for which the laboratory has no control.




VERIFIED BY



INSPECTORATE

INSPECTORATE
841 (P) Rasulgarh
Bhubaneswar-751010
Odisha
Tel : 0674-2548715/2548716
www.inspectorate.co.in



AUTHORISED SIGNATORY

TEST RESULTS RELATE TO THE SAMPLE TESTED ONLY

THE CONTENTS OF THE REPORT SHALL NOT BE REPRODUCED EITHER IN FULL OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE ISSUING AUTHORITY

LABORATORY: PLOT NO. 211, GROUND FLOOR, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE, BHUBANESWAR - 751010.