

JSL/HSPCB/CR/2025/ 270

24th June 2025

The Environmental Engineer (HQ),
Haryana State Pollution Control Board,
Plot No.11, Sector-6,
PANCHKULA

Subject: - Submission of Annual Report in the form - IV for the period from 01.01.2024 to 31.12.2024 under the Bio Medial Waste Management Rules 2016.


Dear Sir,

Please find enclosed herewith the Annual Report of Bio Medical Waste for the above mentioned period under the Bio Medical Waste Management Rules 2016. We hope you will find the same in order.

Thanking You,

Yours Faithfully,

For Jindal Stainless Limited,
(Cold Rolling Division)



Authorised Signatory

Enclosed: As above

CC: - **The Regional Officer,**
Haryana State Pollution Control Board,
Bay No.7-8, Urban Estate-II,
Hisar

271


25/6/2025
Regional Officer
Haryana State Pollution Control Board
HISAR

Letter receiving no.-108
26/6/2025


CY: 2024

Annual Report Form-IV

(Bio Medical Waste)

(The Annual Report i.e. Form-IV is submitted on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) in compliance with the provisions of Bio-Medical Waste Management Rules, 2016 under Environment Protection Act, 1986)

Jindal Stainless Limited,
(Cold Rolling Division)
OP Jindal Marg, Hisar (Haryana)



Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

1. Particulars of the Occupier

- (i) Name of the authorized person : Sh. O.P Aggarwal
(occupier or operator of facility)
- (ii) Name of HCF or CBMWTF : Jindal Stainless Limited
(Cold Rolling Division)
- (iii) Address for Correspondence : Jindal Stainless Limited,
OP Jindal Marg, Hisar (Haryana)
- (iv) Address of Facility : Jindal Stainless Limited,
OP Jindal Marg, Hisar (Haryana)
- (v) Tel. No. : 01662 222471-83
Fax. No : 01662 220476
- (vi) E-mail ID : op.aggarwal@jshl.in
- (vii) URL of Website : www.jindalstainless.com
- (viii) GPS coordinates of HCF : Latitude: 29.130467
Longitude: 29.130467
- (ix) Ownership of HCF or CBMWTF : Private
- (x) Status of Authorization under the : Authorization No.:
Bio-Medical Waste **BMW22HIS18987812**
(Management and Handling) valid up to 31.3.2026
Rules
- (xi) Status of Consents under Water : The CTO no. is HSPCB/Consent/
Act and Air Act 313102624HISCTO70326085 and it
is valid up to 30.09.2029

2. Type of Health Care Facility

- (i) Bedded Hospital : No. of Beds: Nil
- (ii) Non-bedded hospital : Occupational Health Center
- (iii) License number and its date of : NA
expiry



3. Details of CBMWTF

- (i) Number healthcare facilities covered by CBMWTF :
- (ii) No of beds covered by CBMWTF :
- (iii) Installed treatment and disposal capacity of CBMWTF :
- (iv) Quantity of biomedical waste treated or disposed by CBMWTF :

NA

4. Quantity of waste

Quantity of waste generated or disposed in Kg per annum (on monthly average basis) :

| | | |
|---------------------|---|----------|
| Yellow Category | : | 9.506 KG |
| Red Category | : | 9.735 KG |
| White/Blue | : | 9.289 KG |
| General Solid waste | : | Nil |

5. Details of the Storage, treatment, transportation, processing and Disposal Facility

- (i) Details of the facility on-site : Size : For onsite Storage we have four buckets covered with lids.

Capacity: 15 Liters Each.

- (ii) Provision of on-site storage : NA
(cold storage or any other provision)

- (iii) Details of disposal facilities :

| Type of treatment equipment | No of units | Capacity Kg/day | Quantity treated or disposed in kg per annum |
|-----------------------------|-------------|-----------------|--|
| Incinerators | 0 | NA | NA |
| Plasma Pyrolysis | 0 | NA | NA |
| Autoclaves | 0 | NA | NA |
| Microwave | 0 | NA | NA |
| Hydroclave | 0 | NA | NA |
| Shredder | 0 | NA | NA |



(iii) Details of disposal

| Type of treatment equipment | No of units | Capacity Kg/ day | Quantity treated or disposed in kg per annum |
|--------------------------------------|-------------|------------------|--|
| Needle tip cutter or destroyer | 1 | 1.5 kg | NA |
| Sharps encapsulation or concrete pit | 0 | NA | NA |
| Deep burial pits | 0 | NA | NA |
| Chemical disinfection | 0 | NA | NA |
| Any other treatment Equipment | 0 | NA | NA |

(iv) Quantity of recyclable wastes Sold to authorized recyclers after treatment in kg per annum. 9.735 KG (Approximate)
Red Category (like plastic, glass etc.)

(v) No of vehicles used for : NA
collection and transportation of biomedical waste

(vi) Details of incineration : NA
ash and ETP sludge generated and disposed during the treatment of waste in Kg per annum

(vii) Name of the Common Bio- : M/s Synergy Waste Management (P) Ltd.,
Medical Waste Treatment Plot No. 168, Sector-27-28, Hisar (Agreement
Facility Operator through Copy attached as **Annexure-I**)
which wastes are disposed of

(viii) List of member HCF not : NA
handed over bio-medical
waste.

6. Bio-medical waste management committee

Do you have bio-medical waste : Yes, the MOM are attached as
management committee? If **Annexure-II**
yes, attach minutes of the
meetings held during the
reporting period

7. Details trainings conducted on BMW

| | |
|--|-----|
| (iii) Number of trainings : conducted on BMW Management. | 02 |
| (iv) Number of personnel : trained | 03 |
| (v) Number of personnel : trained at the time of induction | 02 |
| (vi) Number of personnel not : undergone any training so far | 00 |
| (vii) Whether standard manual : for Training is available? | Yes |
| (viii) Any other information : | NA |

8. Details of the accident occurred during the year

| | |
|--|-----|
| (i) Number of Accidents : occurred | Nil |
| (ii) Number of the persons : affected | NA |
| (iii) Remedial Action taken : (Please attach details if any) | NA |
| (iv) Any Fatality occurred, : details. | NA |



9. Emission Details :

- (i) Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? NA
- (ii) Details of Continuous online emission monitoring systems installed NA

10 Liquid Waste :

Liquid waste generated and treatment methods in place. How many times you have not met the standards in a Year? NA

11 Disinfection:

Is the disinfection method or sterilization meeting the log 4 Standards? How many times you have Not met the standards in a year? NA

12 Any other relevant information

(Air Pollution Control Devices : attached with the Incinerator) NA

Certified that the above report is for the period from **1st January 2024 to 31st December 2024.**

Date:
Place: Hisar

For
Signature



Name and Signature of the Head the Institution



Synergy Waste Management Pvt. Ltd.

H-461

RENEWAL OF AGREEMENT

That the previous agreement executed on 01 Mar, 2023, is renewed on 01 Feb, 2024 and shall be valid only when endorsed through a SEAL of Synergy Waste Management (P) Ltd.

BETWEEN

M/s. Synergy Waste Management P. Ltd., having its Registered Office at S17-518, 5th Floor, D-Mall, Rohini West, New Delhi - 110085 and workplace at

Plot No 168, Sector - 27, 28, Huda Industrial Area, Hisar, Haryana

AND

Jindal Stainless Limited CRD Occupational Health Centre (Hisar)
Address : O.P. Jindal Marg, Hisar, Haryana-125005

Sh Anupam Jakhanwal, Designation G.m., Contact No. 9987616863, Email ID: info@jshlin

The terms & conditions of the existing agreement shall remain unchanged as mentioned in the initial agreement & subsequent Renewal/Amendment, the service charges which shall be Rs. 1100.0 Plus 12% GST Total Rs. 1232 (Rupees One Thousand Two Hundred and Thirty Two Only) per month for Corporate H C E S or Rs. NIL per bed per day having a declared bed strength of 0 subject to the condition of weight limit of 35.00 kg / month beyond which excess weight shall be charged at Rs. 30 per kg.

GST on BMW Services is 12% effective July 2022. If GST increases / decreases and any other Govt. charges whenever applicable shall be borne by the Waste Generator.

This agreement shall remain valid for a period of 1 Year / 0 Months / 0 Days i.e. 01-Mar-2024 to 28-Feb-2025.

That this agreement may be renewed further for the period and terms and conditions as agreed in between both of the parties.

Authorized Signatory - Service Provider



Authorized Signatory - Waste Generator

Medical Officer
Occupational Health Centre
JINDAL STAINLESS LIMITED

991 1127993321
991 1127993389
www.synergymgmt.com

info@synergymgmt.com
www.synergymgmt.com

REGD. OFFICE: 17A, 3RD FLOOR, D-MALL, ROHINI WEST, NEW DELHI - 110085





September 20, 2024

Minutes of Meeting

A meeting of committee constituted for compliance of Bio Medical Waste (Management and Handling) Rules, 2016 was held on 20th September, 2024, at 11:30 AM. The following members were present in the meeting:-

| Sr. No. | Name/Designations | Signature |
|---------|--|-----------|
| 1 | Mr. Anupam Jakhanwal (Head-Personnel) | |
| 2 | Dr. Yogesh Parkash Arora, OHC | |
| 3 | Mr. Sudhir Kumar, Head-EHS | |
| 4 | Mr. Bal Krishan, HR Personnel Department. | |
| 5 | Mr. Deepak Jain, CR Personnel Department | |
| 6 | Dr. Jitender Saini | |
| 7 | Mr. Vikas Gupta, Environment | |
| 8 | Mr. Om Parkash Aggarwal, Head Legal Department | |

In the meeting discussed about the compliance brief status of Bio Medical Waste (Management and Handling) Rules, 2016, and it was found up to the mark.

Next date of meeting 15th October, 2025.

For Jindal Stainless Limited

Sudhir Kumar
(Head-EHS)



Jindal Stainless Limited
CIN: L26922HR1980PLC010901
Registered Office: O.P. Jindal Marg, Hisar - 125005 (Haryana), India
T: +91-1662-222471-63, E: info@jindalstainless.com
Corporate Office: Jindal Centre, 12, Bhikaji Cama Place, New Delhi - 110 066, India
T: +91-11-41462000 | Website: www.jindalstainless.com, www.jstainless.com

