

JSL/HSPCB/HR/2025/

267

24th June 2025

The Environmental Engineer (HQ),
Haryana State Pollution Control Board,
Plot No.11, Sector-6,
PANCHKULA

Subject: - Submission of Annual Report in the form - IV for the period from 01.01.2024 to 31.12.2024 under the Bio Medical Waste Management Rules 2016.

Dear Sir,

Please find enclosed herewith the Annual Report of Bio Medical Waste for the above mentioned period under the Bio Medical Waste Management Rules 2016. We hope you will find the same in order.

Thanking You,

Yours Faithfully,

For Jindal Stainless Limited,
(Hot Rolling Division)


Authorised Signatory

Enclosed: As above

CC: - **The Regional Officer,**
Haryana State Pollution Control Board,
Bay No.7-8, Urban Estate-II,
Hisar


26/6/2025

Letter receiving no. - 167
26/6/2025
Regional Officer
Haryana State Pollution Control Board
HISAR


CY: 2024

Annual Report Form-IV

(Bio Medical Waste)

(The Annual Report i.e. Form-IV is submitted on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) in compliance with the provisions of Bio-Medical Waste Management Rules, 2016 under Environment Protection Act, 1986)

Jindal Stainless Limited,
(Hot Rolling Division)
OP Jindal Marg, Hisar (Haryana)



Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

1. Particulars of the Occupier

- | | |
|--|---|
| (i) Name of the authorized person
(occupier or operator of facility) | : Sh. O.P Aggarwal |
| (ii) Name of HCF or CBMWTF | : Jindal Stainless Limited
(Hot Rolling Division) |
| (iii) Address for Correspondence | : Jindal Stainless Limited,
OP Jindal Marg, Hisar (Haryana) |
| (iv) Address of Facility | : Jindal Stainless Limited,
OP Jindal Marg, Hisar (Haryana) |
| (v) Tel. No,
Fax. No | : 01662 222471-83
01662 220476 |
| (vi) E-mail ID | : op.aggarwal@jindalstainless.com |
| (vii) URL of Website | : www.jindalstainless.com |
| (viii) GPS coordinates of HCF | : Latitude: 29.129254
Longitude: 29.129254 |
| (ix) Ownership of HCF or CBMWTF | : Private |
| (x) Status of Authorization under the
Bio-Medical Waste
(Management and Handling)
Rules | : Authorization No. BMW21HIS18310038
valid up to till the HCF Operational |
| (xi) Status of Consents under Water
Act and Air Act | : The CTO no. HSPCB/Consent/
313129024HISCTO45061121 and it is
valid up-to 31.03.2026 |

2. Type of Health Care Facility

- | | |
|--|------------------------------|
| (i) Bedded Hospital | : No. of Beds: Nil |
| (ii) Non-bedded hospital | : Occupational Health Center |
| (iii) License number and its date of
expiry | : NA |

3. Details of CBMWTF

- (i) Number healthcare facilities covered by CBMWTF :
- (ii) No of beds covered by CBMWTF :
- (iii) Installed treatment and disposal capacity of CBMWTF :
- (iv) Quantity of biomedical waste treated or disposed by CBMWTF :

NA

4. Quantity of waste

Quantity of waste generated or disposed in Kg per annum (on monthly average basis)

Yellow Category : 34.466KG

Red Category : 22.355KG

White/Blue: : 29.545KG

General Solid waste : Nil

5. Details of the Storage, treatment, transportation, processing and Disposal Facility

- (i) Details of the facility on-site : Size : For onsite Storage we have four storage buckets covered with lids.

Capacity: 15 Liters Each.

- (ii) Provision of on-site storage : NA
(cold storage or any other provision)

- (iii) Details of disposal facilities :

Type of treatment equipment	No of units	Capacity Kg/ day	Quantity treated or disposed in kg per annum
Incinerators	0	NA	NA
Plasma Pyrolysis	0	NA	NA
Autoclaves	0	NA	NA
Microwave	0	NA	NA
Hydroclave	0	NA	NA
Shredder	0	NA	NA

(iii) Details of disposal

Type of treatment equipment	No of units	Capacity Kg/ day	Quantity treated or disposed in kg per annum
Needle tip cutter or destroyer	1	2 Kg	
Sharps encapsulation or concrete pit	0	NA	NA
Deep burial pits	0	NA	NA
Chemical disinfection	0	NA	NA
Any other treatment Equipment	0	NA	NA

(iv) Quantity of recyclable wastes Sold to authorized recyclers after treatment in kg per annum. 22.355 KG (Approximate) Red Category (like plastic, glass etc.)

(v) No of vehicles used for: NA collection and transportation of biomedical waste

(vi) Details of incineration: NA ash and ETP sludge generated and disposed during the treatment of waste in Kg per annum

(vii) Name of the Common Bio- : M/s Synergy Waste Management (P) Ltd., Plot Medical Waste Treatment No. 168, Sector-27-28, Hisar (attached as Facility Operator through **Annexure-I**) which wastes are disposed of



- (viii) List of member HCF not: NA
handed over bio-medical
waste.

6. Bio-medical waste management committee

Do you have bio-medical waste : Yes, the MOM are attached as **Annexure-II**
management committee? If
yes, attach minutes of the
meetings held during the
reporting period

7. Details trainings conducted on BMW

- | | |
|---|-----|
| (iii) Number of trainings:
conducted on BMW
Management. | 03 |
| (iv) Number of personnel:
trained | 05 |
| (v) Number of personnel:
trained at the time of
induction | 02 |
| (vi) Number of personnel not:
undergone any training so
far | 00 |
| (vii) Whether standard manual:
for Training is available? | Yes |
| (viii) Any other information : | NA |

8. Details of the accident occurred during the year

- | | |
|---|-----|
| (i) Number of Accidents:
occurred | Nil |
| (ii) Number of the persons:
affected | NA |
| (iii) Remedial Action taken:
(Please attach details if
any) | NA |
| (iv) Any Fatality occurred:
details. | NA |



9. Emission Details:

(i) Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? NA

(ii) Details of Continuous : online emission monitoring systems installed NA

10 Liquid Waste :

Liquid waste generated and treatment methods in place. NA
How many times you have not met the standards in a Year?

11 Disinfection:

Is the disinfection method or sterilization meeting the log 4 Standards? How many times you have Not met the standards in a year? NA

12 Any other relevant information

(Air Pollution Control Devices : attached with the Incinerator) NA

Certified that the above report is for the period from **1st January 2024 to 31st December 2024.**

Date:
Place: HISAR

for
Skumar

Name and Signature of the Head the Institution

SYNERGY WASTE MANAGEMENT PVT. LTD.

RENEWAL OF AGREEMENT

H-102

This the previous agreement executed on 01 Mar, 2023 is renewed on 01 Feb, 2024 and shall be, valid and enforceable through a SEAL of Synergy Waste Management Pvt Ltd.

BETWEEN

M/s Synergy Waste Management P. Ltd., having its Registered Office at 302-303, 5th Floor, G-Block, Baitoli West, New Delhi - 110085 and workplace at

Plot No 168, Sector - 27, 28, Huda Industrial Area, Hissar, Haryana

AND

Jindal Stainless Limited HRD Occupational Health Centre (HCO)
Address : O.P. Jindal Marg, Hissar, Haryana-125005

Sr. Anupam Jadhavwal, Designation G.M., Contact No. 9869055579 (Hissar) is authorized to sign on behalf of the Client. The terms & conditions of the agreement are as follows: Jindal Stainless Limited, Hissar, Haryana, shall be responsible for the collection of waste generated at the workplace of the Client. The fee for the collection of waste shall be Rs. 11000 per 12% GST Total Rs. 1232 (Rupees One Thousand Two Hundred and Thirtys Two) per month for Corporate H.C.E.S or Rs. NULL per ton per day for the collection of waste generated from the workplace of the Client. The weight limit of 35.00 kg per month shall be the maximum weight limit for the collection of waste.

GST on BHW Services is 12% effective July 2022. If GST increases, the Client shall pay the extra charges whenever applicable shall be borne by the Client.

This agreement shall remain valid for a period of 1 Year / 6 Months / 0 Days i.e. 01-Mar-2024 to 28-Feb-2025.

This agreement shall be further for the period and terms and conditions as agreed to between both of the parties hereto.

Authorized Signatory [Signature] Waste Management Provider

Authorized Signatory - Waste Generation

[Signature]
Occupational Health Centre
JINDAL STAINLESS LIMITED

[Signature]
Jindal Stainless Limited
Hissar



September 20, 2024

Minutes of Meeting

A meeting of committee constituted for compliance of Bio Medical Waste (Management and Handling) Rules, 2016 was held on 20th September, 2024, at 11:30 AM. The following members were present in the meeting:-

Sr. No.	Name/Designations	Signature
1	Mr. Anupam Jakhanwal (Head-Personnel)	<i>Anupam</i>
2	Dr. Yogesh Parkash Arora, OHC	<i>Yogesh</i>
3	Mr. Sudhir Kumar, Head-EHS	<i>Sudhir</i>
4	Mr. Bal Krishan, HR Personnel Department.	<i>Bal Krishan</i>
5	Mr. Deepak Jain, CR Personnel Department	<i>Deepak</i>
6	Dr. Jitender Saini	<i>Jitender</i>
7	Mr. Vikas Gupta, Environment	<i>Vikas</i>
8	Mr. Om Parkash Aggarwal, Head Legal Department	<i>Om Parkash</i>

In the meeting discussed about the compliance brief status of Bio Medical Waste (Management and Handling) Rules, 2016, and it was found up to the mark.

Next date of meeting 15th October, 2025.

For Jindal Stainless Limited

Sudhir Kumar
Sudhir Kumar
(Head-EHS)



Jindal Stainless Limited
CIN: L28922HR1980PLC010901
Registered Office: G.P. Jindal Marg, Hisar - 125005 (Haryana), India
T: +91-1662-222471-83, E: info@jindalstainless.com
Corporate Office: Jindal Centre, 12, Bhikaji Cama Place, New Delhi - 110 066, India
T: +91-11-41462000 | Website: www.jindalstainless.com, www.jstainless.com

