

## Declaration of Performance

### According to Annex III of Regulation no. 305/2011

DOP No. JSLO/1.4404/CR

Website: [www.jindalstainless.com](http://www.jindalstainless.com)

Sr. No	Performance Particulars	Description
1	Unique identification code of the product-type	Continuously cold-rolled wide strip and plate/sheet, grade EN 1.4404, according to EN 10088-4:2009
2	Intended use:	Metal structures or in composite metal and concrete structures
3	Manufacturer:	Jindal Stainless Limited Kalinga Nagar Industrial Complex, Danagadi, Jajpur, Odisha-755026, India
4	Authorized representative:	HOD Quality Assurance Department Jindal Stainless Limited Kalinga Nagar Industrial Complex, Danagadi, Jajpur, Odisha-755026, India
5	System of AVCP	2+
6	Harmonized Standard	EN 10088-4: 2009
	Notified Body	TÜV NORD Systems GmbH & Co. KG, Hamburg, Germany Reg. No. 0045
7	Declared Performance/s:	
Essential Characteristics		Performance
Tolerances on dimensions and shape		DIN EN ISO 9445-2
Elongation (%)		Minimum 40 (transverse)
Tensile strength (Mpa)		530 to 680
0,2%-proof strength (yield strength) (Mpa)		Minimum 240 (transverse)
Impact strength (Joule)		-
Weldability		Covered by chemical composition
Durability		Covered by chemical composition
Fracture toughness/brittle strength		Covered by impact strength
Cold formability		Covered by elongation
Dangerous Substance		< 100 PPM
		Harmonized Technical specification
		EN 10088-4:2009, clause 6.9
		EN 10088-4:2009, clause 6.5.1
		EN 10088-4:2009, clause 6.3
		EN 10088-4:2009, clause 6.3 & 6.4
		EN 10088-4:2009, clause 6.5.1
		EN 10088-4:2009, clause 6.8
		EN 10088-4:2009, clause 10

The performance of the product identified above is in conformity with the set of declared performance/s. This Declaration of Performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Nagaraj Kallianpur Nayak  
At Jajpur, Odisha on 08.08.2025



## Declaration of Performance

### According to Annex III of Regulation no. 305/2011

DOP No. JSLO/1.4404/HR/S

Website: [www.jindalstainless.com](http://www.jindalstainless.com)

Sr. No	Performance Particulars	Description
1	Unique identification code of the product-type	Continuously hot-rolled wide strip and plate/sheet, grade EN 1.4404, according to EN 10088-4:2009
2	Intended use:	Metal structures or in composite metal and concrete structures
3	Manufacturer:	Jindal Stainless Limited Kalinga Nagar Industrial Complex, Danagadi, Jajpur, Odisha-755026, India
4	Authorized representative:	HOD Quality Assurance Department Jindal Stainless Limited Kalinga Nagar Industrial Complex, Danagadi, Jajpur, Odisha-755026, India
5	System of AVCP	2+
6	Harmonized Standard	EN 10088-4: 2009
	Notified Body	TÜV NORD Systems GmbH & Co. KG, Hamburg, Germany Reg. No. 0045
7	Declared Performance/s:	
Essential Characteristics		Performance
Tolerances on dimensions and shape		DIN EN ISO 9444-2
Elongation (%)		Minimum 40 (transverse)
Tensile strength (Mpa)		530 to 680
0,2%-proof strength (yield strength) (Mpa)		Minimum 220 (transverse)
Impact strength (Joule)		Minimum 60 (transverse)
Weldability		Covered by chemical composition
Durability		Covered by chemical composition
Fracture toughness/brittle strength		Covered by impact strength
Cold formability		Covered by elongation
Dangerous Substance		< 100 PPM
		Harmonized Technical specification
		EN 10088-4:2009, clause 6.9
		EN 10088-4:2009, clause 6.5.1
		EN 10088-4:2009, clause 6.3
		EN 10088-4:2009, clause 6.3 & 6.4
		EN 10088-4:2009, clause 6.5.1
		EN 10088-4:2009, clause 6.8
		EN 10088-4:2009, clause 10

The performance of the product identified above is in conformity with the set of declared performance/s. This Declaration of Performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Nagaraj Kallianpur Nayak  
At Jajpur, Odisha on 08.08.2025



## Declaration of Performance

### According to Annex III of Regulation no. 305/2011

DOP No. JSLO/1.4404/HR/P

Website: [www.jindalstainless.com](http://www.jindalstainless.com)

Sr. No	Performance Particulars	Description
1	Unique identification code of the product-type	Hot-rolled quarto plate, grade EN 1.4404, according to EN 10088-4:2009
2	Intended use:	Metal structures or in composite metal and concrete structures
3	Manufacturer:	Jindal Stainless Limited Kalinga Nagar Industrial Complex, Danagadi, Jajpur, Odisha-755026, India
4	Authorized representative:	HOD Quality Assurance Department Jindal Stainless Limited Kalinga Nagar Industrial Complex, Danagadi, Jajpur, Odisha-755026, India
5	System of AVCP	2+
6	Harmonized Standard	EN 10088-4: 2009
	Notified Body	TÜV NORD Systems GmbH & Co. KG, Hamburg, Germany Reg. No. 0045
7	Declared Performance/s:	
Essential Characteristics		Harmonized Technical specification
Tolerances on dimensions and shape		DIN EN ISO 18286 EN 10088-4:2009, clause 6.9
Elongation (%)		Minimum 45 (transverse)
Tensile strength (Mpa)		520 to 670
0,2%-proof strength (yield strength) (Mpa)		Minimum 220 (transverse)
Impact strength (Joule)		Minimum 60 (transverse)
Weldability		Covered by chemical composition EN 10088-4:2009, clause 6.3
Durability		Covered by chemical composition EN 10088-4:2009, clause 6.3 & 6.4
Fracture toughness/brittle strength		Covered by impact strength EN 10088-4:2009, clause 6.5.1
Cold formability		Covered by elongation EN 10088-4:2009, clause 6.8
Dangerous Substance		< 100 PPM EN 10088-4:2009, clause 10

The performance of the product identified above is in conformity with the set of declared performance/s. This Declaration of Performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Nagaraj Kallianpur Nayak  
At Jajpur, Odisha on 08.08.2025

