

Certificate

Quality-Assurance System for Manufacturer of Materials acc. to Directive 2014/68/EU

Certificate no.:

01 2627 IN/M1-250020.00

Name and address
of the manufacturer:

Jindal Stainless Limited
Hot Rolling & Cold Rolling Division O.P. Jindal
Marg, Hisar 125 005, Haryana,
India

Herewith we certify that the material manufacturer has established and applies a Quality Management System. The system was audited according to the European Directive 2014/68/EU, Annex I, point 4.3, with regard to the materials as listed in the scope of approval.

Tested acc. to
Directive 2014/68/EU:

QM System acc. to EN 764-5, Clause 4.2 and AD
2000-Merkblatt W0

Assessment report no.:

IN/M1-250020.00

Area of validity:

Manufacturer of Stainless Steel Hot Rolled and cold Rolled Coils, Plates, Sheets and Strips, see Annex to certificate

Manufacturing plant:

Jindal Stainless Limited
Hot Rolling & Cold Rolling Division O.P. Jindal
Marg, Hisar 125 005, Haryana,
India

Period of validity:

20.08.2025 – 19.08.2028

Audit date: 14.07.2025



Zabrze, 20.08.2025

TÜV Rheinland Polska Sp. z o.o.
Certification Body for Material Manufacturers
ul. Wolności 347, 41-800 Zabrze, Poland
e-mail: post@pl.tuv.com

Wojciech Szalek
Wojciech Szalek

T6-MS-0038294 rev. 2

Annex to Certificate no.: 01 2627 IN/M1-250020.00

Scope according to:		<input checked="" type="checkbox"/> Directive 2014/68/EU, Annex I, point 4.3				<input checked="" type="checkbox"/> AD 2000-Merkblatt W 0						
Manufacturer			Work			Country		Date		Page no.	TÜV Rheinland Polska Sp. z o.o.	
Company name: Jindal Stainless Limited Location: Hot Rolling & Cold Rolling Division O.P. Jindal Marg, Hisar 125 005, Haryana, India			Hot Rolling & Cold Rolling Division O.P. Jindal Marg, Hisar 125 005, Haryana, India			India		24.11.2025		1 of 3		
								Rev.: 01				
Pos.	Materials-term Materials-no.	Material specification	Delivery conditions	Article Type of Product	Dimensions				Weight max.		Technical specifications Requirements Technical regulations	Remarks Audit date: 17.10.2025
					Thickness mm		Ø mm		1=t 2=kg ↓	result		
1	2	3	4	5	6a	6b	7a	7b	8a	8b	9	10

1. Materials according to harmonized European standards (hEN) and European Approval for Materials (EAM) acc. Directive 2014/68/EU

The use of the materials according to Directive 2014/68/EU is bound to the publication of Harmonized European Standards or to the qualification by a European material approval or to the particular material appraisal. With that the manufacturing reliability for equivalent material grades according to other standards (e.g. BS, AFNOR, ASME) is proved. The requirements and limits of the applicable code respectively the PED must be observed for the use of material grades listed in column 2 to 4.

1.	X5CrNi18-10 (1.4301) X2CrNi 18-9 (1.4307) X5CrNiMo17-12-2 (1.4401) X2CrNiMo17-12-2 (1.4404) X6CrNiTi18-10 (1.4541) X6Cr NiMoTi17-12-2 (1.4571) X2CrNiMo18-15-4 (1.4438) X6CrNi18-10 (1.4948) X2CrNiN18-7 (1.4318)	EN 10028-7	+AT	Cold Rolled Strips, Coils & Sheets	0.1	5.00	-	-	1	25		
				Hot Rolled Strips, Coils, Sheet & Plate	2.00	12.00	-	-	1	25		
				Hot Rolled Plates	5.00	60.00	-	-	1	25		
2	X2Cr Ni12 (1.4003)	EN 10028-7	+A									

Remarks: +AT = solution annealed +N = normalized or normalizing formed +S = soft annealed +A = Soft Annealed
 +AR = as rolled +NT = normalized and tempered +SR = stress relieved
 +M = thermomechanical treated +QT = quenched and tempered A = PMA for the use in pressure equipment in Directive 2014/68/EU necessary

Annex to Certificate no.: 01 2627 IN/M1-250020.00

Scope according to:		<input checked="" type="checkbox"/> Directive 2014/68/EU, Annex I, point 4.3				<input checked="" type="checkbox"/> AD 2000-Merkblatt W 0						
Manufacturer			Work		Country		Date	Page no.	TÜV Rheinland Polska Sp. z o.o.			
Company name: Jindal Stainless Limited Location: Hot Rolling & Cold Rolling Division O.P. Jindal Marg, Hisar 125 005, Haryana, India			Hot Rolling & Cold Rolling Division O.P. Jindal Marg, Hisar 125 005, Haryana, India		India		24.11.2025	2 of 3				
							Rev.: 01					
Pos.	Materials-term Materials-no.	Material specification	Delivery conditions	Article Type of Product	Dimensions				Weight max.		Technical specifications Requirements Technical regulations	Remarks Audit date: 17.10.2025
					Thickness mm		Ø mm		1=t 2=kg ↓	result		
1	2	3	4	5	6a	6b	7a	7b	8a	8b	9	10

2. Materials according to the AD 2000 Code

The use of the materials according to Directive 2014/68/EU is bound to the publication of Harmonized European Standards or to the qualification by a European material approval or to the particular material appraisal. With that the manufacturing reliability for equivalent material grades according to other standards (e.g. BS, AFNOR, ASME) is proved. The requirements and limits of the applicable code respectively the PED must be observed for the use of material grades listed in column 2 to 4.

3.	X5CrNi18-10 (1.4301) X2CrNi 18-9 (1.4307) X5CrNiMo17-12-2 (1.4401) X2CrNiMo17-12-2 (1.4404) X6CrNiTi18-10 (1.4541) X6Cr NiMoTi17-12-2 (1.4571) X2CrNiMo18-15-4 (1.4438) X6CrNi18-10 (1.4948) X2CrNiN18-7 (1.4318) X2CrNiMoN22-5-3 (1.4462) X1NiCrMoCu25-20-5 (1.4539)	EN 10028-7	+AT	Cold Rolled Strips, Coils & Sheets Hot Rolled Strips, Coils, Sheet & Plate Hot Rolled Plates	0.1	5.00	-	-	1	25	AD 2000 W2& W10	* t > 30mm, with certificate 3.2 
					2.00	12.00	-	-	1	25		
					5.00	60.00*	-	-	1	25		

Remarks: +AT = solution annealed +N = normalized or normalizing formed +S = soft annealed +A = Soft Annealed
 +AR = as rolled +NT = normalized and tempered +SR = stress relieved
 +M = thermomechanical treated +QT = quenched and tempered A = PMA for the use in pressure equipment in Directive 2014/68/EU necessary

Annex to Certificate no.: 01 2627 IN/M1-250020.00

Scope according to:		<input checked="" type="checkbox"/> Directive 2014/68/EU, Annex I, point 4.3				<input checked="" type="checkbox"/> AD 2000-Merkblatt W 0						
Manufacturer			Work		Country		Date	Page no.	TÜV Rheinland Polska Sp. z o.o.			
Company name: Jindal Stainless Limited Location: Hot Rolling & Cold Rolling Division O.P. Jindal Marg, Hisar 125 005, Haryana, India			Hot Rolling & Cold Rolling Division O.P. Jindal Marg, Hisar 125 005, Haryana, India		India		24.11.2025	3 of 3				
							Rev.: 01					
Pos.	Materials-term Materials-no.	Material specification	Delivery conditions	Article Type of Product	Dimensions				Weight max.		Technical specifications Requirements Technical regulations	Remarks Audit date: 17.10.2025
					Thickness mm	∅ mm				1=t 2=kg ↓		
1	2	3	4	5	6a	6b	7a	7b	8a	8b	9	10

3. Materials according to international standards (e.g. ASTM, ASME, IBR, etc.)

The use of the materials according to Directive 2014/68/EU is bound to the publication of Harmonized European Standards or to the qualification by a European material approval or to the particular material appraisal. With that the manufacturing reliability for equivalent material grades according to other standards (e.g. BS, AFNOR, ASME) is proved. The requirements and limits of the applicable code respectively the PED must be observed for the use of material grades listed in column 2 to 4.

4	201, 202, 301, 301L, 301LN, 304, 304L, 304H, 316, 316L, 316Ti, 321, 321H, 309S, 310S, 347, 317L, S31803, S32304, S32750, S32760, S32205, 904L	ASME SA240/ ASTM A240	+AT	Cold Rolled Strips, Coils & Sheets	0.1	5.00	-	-	1	25	Directive 2014/68/EU, annex I, point 4.3	For ASTM / ASME Material Grade, PMA for the use in pressure equipment Directive 2014/68/EU necessary
				Hot Rolled Strips,	2.00	12.00	-	-	1	25		
5	409, 430, 410, 410S, S41500, 420	ASME SA240/ ASTM A240	+A	Coils, Sheet & Plate								
				Hot Rolled Plates	5.00	60.00	-	-	1	25		
6	X15CrNiSi20-12 (1.4828)	EN 10095	+AT	Cold Rolled	0.1	1.00	-	-	2	4000	*CUSN6 – As per Customer Specification do no: 823X1000, issue date: 12th issue, 2025-08	
7	*CUSN6	EN 1652 / Customer Specification	+A	Cold Rolled Strips & Coils.	0.7	1.00	-	-	2	100		

Remarks: +AT = solution annealed +N = normalized or normalizing formed +S = soft annealed +A = Soft Annealed

+AR = as rolled +NT = normalized and tempered +SR = stress relieved

+M = thermomechanical treated +QT = quenched and tempered A = PMA for the use in pressure equipment in Directive 2014/68/EU necessary